

PENETRATING OIL + MOS2

Reference : 10230



1. General description

Lubricates and frees seized and rusted metal parts (bolts, screws). Reduces wear; facilitates future dismantling.



2. Features

- Loosens metal parts seized by dirt, corrosion or dried-up grease.
- Does not contain silicones.
- Penetrates quickly.
- Safe on all metal surfaces, does not stain.
- Convenient 360° (including inverted position) spray valve for aerosols.
- High purity CO2 propellant, giving an active product content of 95%.

3. Applications

- Cleaning mechanical parts.
- Fine mechanics.
- Pumps.
- Pneumatic tools.
- Railroad equipment.
- Valves.



PENETRATING OIL + MOS2

Reference : 10230

- Agricultural equipment.
- General disassembly.
- Seized and corroded parts.

4. Directions

- Spray liberally and allow to run off.
- Use extension tube for more precise application.
- Allow a few minutes for good penetration.
- Repeat if necessary.
- To remove residues or excess product, use one of the CRC cleaners.
- Do not use on energized equipment.
- Test before use on sensitive materials.
- **A safety data sheet (MSDS) according to EC Regulation N° 1907/2006 Art.31 and amendments is available for all CRC products.**

5. Typical product data (without propellant)

Appearance	not available
Density	0.82 (@ 20°C)
Color	black
Odour	Characteristic odor
Flash Point	> 70 °C (Closed Cup)
Surface tension active product	26 mN/m
Horizontal spread active product	90 cm ²
Density active product	0.88 g/cm ³ (@ 20°C)
Dynamic viscosity active product	52 mPa.s (@ 20°C)

6. Packaging

Aerosol	12x300 ML
	12x500 ML
	24x300 ML

All statements in this publication are based on service experience and/or laboratory testing. Because of the wide variety of equipment, conditions of use and the unpredictable human factors involved, we recommend that our products are tested on-the-job prior to use. All information is given in good faith but without warranty neither expressed nor implied. This Technical Data Sheet may already have been revised as a result of a change in legislation, availability of components or newly acquired experiences. The latest and only valid





PENETRATING OIL + MOS2

Reference : 10230

version of this Technical Data Sheet will be sent to you upon simple request or can be found on our website: www.crcind.com We recommend that you register on our website for this product, thus enabling you to automatically receive any future updates.

Version CRC_GREEN-PENETRATING_OIL-20090626

Date 26/06/2009



Manufactured by :
CRC Industries Europe bvba
Touwslagerstraat 1
9240 Zele Belgium
Tél.: (32)(0) 52/45.60.11 Fax : (32)(0) 52/45.00.34
www.crcind.com

